

AMENDED
APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 23 2001
Returned to applicant for correction AUG 10 2001
Corrected application filed AUG 27 2001
Map filed AUG 27 2001

The applicant **Douglas Massena and Mary A. Massena** hereby makes application for permission to change the **the point of diversion and place of use of a portion of water** heretofore appropriated under **Permit #14468, Cert. #6372**

1. The source of water is **underground source**
2. The amount of water to be changed **0.0014 C.F.S., One (1) Acre Foot**
3. The water to be used for **quasi – municipal purposes**
4. The water heretofore permitted for **quasi – municipal purposes**
5. The water is to be diverted at the following point **within the Northwest Quarter (NW¼) of the Southwest Quarter (SW¼) of Section 19, T21S, R62E, MDM or at a point from which the West one-quarter (W¼) of said Section 19, T21S, R62E, MDM bears North 77° 33' 00" West a distance of 762.0 Feet.**
6. The existing permitted point of diversion is located within a portion of the Northwest Quarter (NW¼) of the Northwest Quarter (NW¼), Section 10, T21S R61E, MDM, or at a point from which the Northwest corner of said Section 10, T21S, R61E, MDM bears North 15° 40' 00" West a distance of 917.0 Feet.
7. Proposed place of use **portion of the Northwest Quarter (NW¼) of the Southwest Quarter (SW¼), of Section 19, T21S, R62E, MDM 1.18 Acre Assessor Parcel Number 161-19-301-006.**
8. Existing place of use **a portion of the Northeast Quarter (NE¼) of the Northeast Quarter (NE¼), Section 9, and a portion of the Northwest Quarter (NW¼) of the Northwest Quarter (NW¼), Section 10, T21S, R61E, MDM.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **install totalizing meter.**
12. Estimated cost of works **\$1,500.00**
13. Estimated time required to construct works **Well is existing and is 195 feet deep, steel – cased, 1½ Hp Submersible Pump, and 500 gallon pressure tank**
14. Estimated time required to complete the application of water to beneficial use **Three (3) Years**

15. Remarks: **Water to be used for the existing residence and landscaping.**

By s/ **Robert L. Fulstone Agent**
Agent: **Fulstone Enterprises, Inc.**
940 S. Martin Luther King Blvd.
Las Vegas, NV 89106

Compared cm/cm^f dr/cm^f

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 14468, Certificate 6372 is issued subject to the terms and conditions imposed in said Permit 14468, Certificate 6372 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Permit 67830 is issued to provide water service to one lot described by Clark County Assessor's Parcel Number 161-19-301-006.
(CONTINUED ON PAGE 3)

(PERMIT TERMS CONTINUED)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0014 cubic feet per second, but not to exceed 1.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 13, 2003

Proof of completion of work shall be filed before:

March 13, 2003

Water must be placed to beneficial use on or before:

February 13, 2005

Proof of the application of water to beneficial use shall be filed on or before:

March 13, 2005


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 13th day of February, A.D. 2002.


State Engineer

Completion of work filed JUL 05 2002

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

